

## Possible New Medications Use and Side Effect Information

The Purpose of this document is to provide you with some information about why you are taking a medication. This document will also explain the possible medication side effects of the medication you are taking. If you have any questions or concerns about this information listed below, please ask to speak with your nurse or doctor.

What is my Medication? Medication: Generic (Brand)	Why am I taking it? This medication is for:	What are possible side effects:
<b>Narcotics:</b> <ul style="list-style-type: none"> <li>○ Hydrocodone/Acetaminophen (Norco)</li> <li>○ Hydromorphone (Dilaudid)</li> <li>○ Fentanyl</li> <li>○ Oxycodone/Acetaminophen (Percocet)</li> <li>○ Oxycodone</li> </ul>	Pain Relief 	<ul style="list-style-type: none"> <li>● Dizziness</li> <li>● Drowsiness (feeling tired)</li> <li>● Itching</li> <li>● Constipation</li> <li>● Nausea/Stomach upset</li> <li>● Slow/Difficulty Breathing</li> </ul>
<b>Muscle Relaxants:</b> <ul style="list-style-type: none"> <li>○ Cyclobenzaprine (Flexeril)</li> <li>○ Methocarbamol (Robaxin)</li> <li>○ Tizanidine (Zanaflex)</li> <li>○ Diazepam (Valium)</li> <li>○ Baclofen (Lioresal)</li> </ul>	Help relieve muscle spasms 	<ul style="list-style-type: none"> <li>● Dizziness</li> <li>● Drowsiness (feeling tired)</li> <li>● Headache</li> <li>● Nervousness</li> <li>● Reddish-purple or orange urine</li> <li>● Lowered blood pressure upon standing.</li> </ul>
<b>Neuropathic Pain:</b> <ul style="list-style-type: none"> <li>○ Gabapentin (Neurontin)</li> <li>○ Pregabalin (Lyrica)</li> </ul>	Help relieve nerve pain 	<ul style="list-style-type: none"> <li>● Dizziness</li> <li>● Drowsiness (feeling tired)</li> <li>● Dry mouth</li> <li>● Trouble concentrating</li> <li>● Blurred vision</li> </ul>
<b>Acid Reducers:</b> <ul style="list-style-type: none"> <li>○ Pantoprazole (Protonix)</li> <li>○ Famotidine (Pepcid)</li> </ul>	Heartburn or Reflux 	<ul style="list-style-type: none"> <li>● Headache</li> <li>● Diarrhea</li> <li>● Abdominal pain</li> <li>● Dizziness</li> </ul>
<b>Anti-Nausea:</b> <ul style="list-style-type: none"> <li>○ Zofran (Ondansetron)</li> <li>○ Tigan (Trimethobenzamide)</li> <li>○ Compazine (Prochlorperazine)</li> <li>○ Reglan (Metoclopramide)</li> <li>○ Phenergan (Promethazine)</li> </ul>	Vomiting/Nausea 	<ul style="list-style-type: none"> <li>● Drowsiness</li> <li>● Blurred Vision</li> <li>● Dizziness</li> <li>● Urinary retention</li> <li>● Sedation</li> <li>● Constipation</li> </ul>
<b>Bowel Management:</b> <ul style="list-style-type: none"> <li>○ Colace (Docusate)</li> <li>○ Senna (Senokot)</li> <li>○ Miralax (Polyethylene glycol)</li> <li>○ Milk of Magnesia (Magnesium hydroxide)</li> <li>○ Dulcolax Tab/Suppository (Bisacodyl)</li> <li>○ Magnesium Citrate</li> </ul>	Constipation 	<ul style="list-style-type: none"> <li>● Nausea</li> <li>● Stomach pain</li> <li>● Vomiting</li> <li>● Diarrhea</li> <li>● Cramping</li> </ul>
<b>Antibiotic:</b> <ul style="list-style-type: none"> <li>○ Cefazolin (ancef)</li> <li>○ Vancomycin</li> <li>○ Metronidazole (Flagyl)</li> </ul>	*All surgical patients receive post-operative antibiotic while in the hospital prophylactically.	<ul style="list-style-type: none"> <li>● Diarrhea</li> <li>● Itching</li> <li>● Burning at the IV site</li> </ul>
<b>Anticoagulants (Blood Thinners):</b> <ul style="list-style-type: none"> <li>○ Aspirin</li> <li>○ Coumadin (warfarin)</li> <li>○ Xarelto or Eliquis</li> </ul>	Thinning of the blood to prevent blood clots 	<ul style="list-style-type: none"> <li>● Headache</li> <li>● Dizziness</li> <li>● Nausea</li> <li>● Increased bleeding &amp; bruising</li> </ul>

NOTE: Your surgeon will let you know if these medications apply to you.